




I / O Definition:

- | | |
|----------------------------|----------------------------|
| A: DC 9V~36V | B: COM1:RS-232 / 422 / 485 |
| C: COM2:RS-232 / 422 / 485 | D: 2 x LAN |
| E: H-DMI | F: 2 x USB 3.0 |
| G: 1 x LAN | H: 2 x USB 3.0 |
| I: Audio | J: Power Button |

Panel Cutout Dimensions: 381 x 313 mm (15 x 12.32 in)



I / O Definiton:

A: DC 9V~36V

B: COM1:RS-232 / 422 / 485

C: COM2:RS-232 / 422 / 485

D: 2 x LAN

E: H-DMI

F: 2 x USB 3.0




G: 1 x LAN

H: 2 x USB 3.0

I: Audio

J: Power Button

Panel Cutout Dimensions: 420 x 345 mm (16.54 x 13.58 in)



I / O Definition:

A: DC 9V~36V

B: COM1:RS-232 / 422 / 485

C: COM2:RS-232 / 422 / 485

D: 2 x LAN

E: H-DMI

F: 2 x USB 3.0

G: 1 x LAN

H: 2 x USB 3.0

I: Audio

J: Power Button

Panel Cutout Dimensions: 381 x 313 mm (15 x 12.32 in)